

## Northwest Team Estimated Irrigation Use on Cultivated Cropland


	Non-Irrigated	Gravity Irrigated	Pressure Irrigated	Gravity and Pressure Irrigated	Total Irrigated Cultivated Cropland
1982 Estimated	80,800	0	24,900	0	24,900
1982 Error *	16,100	0	7,400	0	7,400
1987 Estimated	71,000	0	17,000	0	17,000
1987 Error *	15,800	0	5,300	0	5,300
1992 Estimated	72,700	0	25,900	0	25,900
1992 Error *	13,300	0	8,100	0	8,100
		•	•	•	
1997 Estimated	59,900	0	26,300	0	26,300
1997 Error *	11,500	0	8,700	0	8,700
	1				

Estimates may not total because of rounding.

## Geographic Area of the Northwest Team of Washington State:

Clallam	King	San Juan	Whatcom
Island	Kitsap	Skagit	
Jefferson	Pierce	Snohomish	

There have been few changes in the pattern of irrigation on cultivated cropland in northwestern Washington during 1982 to 1997. Efficient pressurized systems are the norm and the primary crops are corn, peas and wheat.



<sup>\*</sup> The error referred to in the table is the standard error of the estimate.

(To obtain the margin of error at the 95% confidence limit multiply the error by 1.96.)